





## prime360.id



## INTRODUCING E-SERIES



prime360.id



## **TYPE E SERIES**

Land Area 112 sq.m. Building Area 132 sq.m.

### 1st Floor

1+1 Bedroom

1+1 Bathroom

2nd Floor

**3** Bedrooms

2 Bathrooms





1st FLOOR - Option 1

2nd FLOOR

## SMART FEATURES



GOLDEN 90-DEGREE ANGLE



BRIGHT & FRESH



SPACIOUS COMFORT



VERTICAL VOLUME ADVANTAGES



MAXIMISED EFFICIENCY







## **TYPE D SERIES**

Land Area 96 sq.m. Building Area 112 sq.m. 1st Floor

📇 1+1 Bedroom 1+1 Bathroom 2nd Floor

2 Bedrooms



2 Bathrooms





1st FLOOR

2nd FLOOR

## SMART FEATURES



GOLDEN 90-DEGREE ANGLE



BRIGHT & FRESH



SPACIOUS COMFORT



VERTICAL VOLUME ADVANTAGES



MAXIMISED EFFICIENCY



### TYPE C SERIES

Land Area 84 sq.m. Building Area 101 sq.m.


#### \_ Ist Floor \_\_



1+1 Bathroom

#### 2nd Floor









2nd FLOOR

1st FLOOR



#### \_ SPECIFICATIONS \_

STRUCTURE WALL ROOF

CEILING

WINDOWS DOORS

Main Entrance Bedrooms

: Reinforced Concrete : Light Brick Wall

: Concrete Roof Tile

: Gypsum Board for Dry Area Water Resistant Gypsum Board for Wet Area : Aluminium Frame

: Solid Engineering Wood

: Honeycomb Engineering Wood : Honeycomb Engineering Wood FLOORING

Living & Dining Bedroom Kitchen

Bathrooms Service Area WALL FINISHING External

Internal Bathrooms SANITARY INSTALLATION

Electrical

Water

: Homogeneous Tile : Homogeneous Tile

: Homogeneous Tile

: Homogeneous Tile : Ceramic Tile

: Weathershield Paint : Paint Finish

: Homogeneous Tile : TOTO or equivalent

: PAM : 2.200 Watt

### TYPE B SERIES

Land Area 77 sq.m. Building Area 93 sq.m.

#### \_ 1st Floor \_

☐ 1 Bedroom

1 Bathroom

#### 2nd Floor

**Bedrooms** 

2 Bathrooms





1st FLOOR



#### SPECIFICATIONS

STRUCTURE
WALL
ROOF
CEILING

: Reinforced Concrete : Light Brick Wall

: Concrete Roof Tile Gypsum Board for Dry Area

Water Resistant Gypsum Board for Wet Area

#### FLOORING

Living & Dining Bedrooms Kitchen Bathrooms

: Homogeneous Tile : Homogeneous Tile

: Homogeneous Tile : Ceramic Tile

WINDOWS DOORS

Main Entrance Bedrooms Bathrooms

#### WALL FINISHING

Internal Bathroom SANITARY

External

INSTALLATION Water

: Aluminium Frame

: Solid Engineering Wood : Honeycomb Engineering Wood

: Honeycomb Engineering Wood


### : Weathershield Paint

: Paint Finish : Ceramic Tile

: TOTO or equivalent

:PAM : 2.200 Watt Electrical

## prime360.id



#### TYPES OF

## SPECIFICATIONS

#### TYPE D&E SERIES

STRUCTURE : Reinforced Concrete
WALL : Light Brick Wall
ROOF : Ceramic Roof Tile

CEILING : Gypsum Board for Dry Area

Water Resistant Gypsum Board for Wet Area

WINDOWS : Aluminium Frame

DOORS

Main Entrance: Solid Engineering WoodBedrooms: Honeycomb Engineering WoodBathrooms: Honeycomb Engineering Wood

FLOORING

Living & Dining : Homogeneous Tile
Bedroom : Homogeneous Tile
Kitchen : Homogeneous Tile
Bathrooms : Homogeneous Tile
Service Area : Ceramic Tile

WALL FINISHING

External : Weathershield Paint
Internal : Paint Finish
Bathrooms : Homogenous Tile


SANITARY : TOTO or equivalent

INSTALLATION

Water : PAM Electrical : 3.500 Watt



# LUCALE



#### LAVON MARKETING GALLERY

Jl. Suvarna Sutera Boulevard No. 19, Suvarna Sutera, Pasar Kemis, Tangerang, 15560 E lavon@swancity.co.id T 021-39729988 W lavon.co.id

The images depicted in this publication are artist's impressions and representations only, and are in no way a claim by the developer as to the final product. All dimensions are approximate and subject to normal construction variances and tolerances. Developer makes no representations or warranties except as may be set forth in the Sale and Purchase Agreement. While every reasonable care has been taken in preparing this brochure, the Developer cannot be held responsible for any inaccuracies in its contents.



